

SuperImager® Plus 8" T3 Forensic Field Unit

A New Generation Imaging Unit with Linux OS & Dual Boot Win10

A Computer Forensic- Imaging & Platform Unit

HASH SSD @ 31GB/Min and 1TB Hard Disk @ 10GB/Min Image bit by bit: Intel NVMe SSD @ 65GB/Min

(Part #: SIF-0036-10A)

- Built-in: 8" Touchscreen Color LCD Display, 4 SAS/SATA, 8 USB3.0, and Thunderbolt 3.0 Ports (Using SAS3.0 and PCIE3.0 which increase speed)
- High transfer rate with E01 compression using 16 Parallel Engines
- Support Selective Capture of Files and Folders or a Partition
- Virtual Drive Emulator
- Remote Capture KIT: Capture from Un-Open Laptops and PC

The user can performs in one session:

- E01/EX01 format with full compression
- Calculate simultaneously 3 HASH Values: MD5, SHA-1, SHA-2
- Encryption with AES256
- Save Images onto 3 destination drives and to a local network

Use the unit as a Platform:

Load and use a third-party applications:

- Cellphone Data Extraction and Analysis tools
- Triage Data Collection
- Full Analysis such as EnCase, Nuix, FTK, P2 Commander

Include Hardware

Supplied with Thunderbolt 3.0 PCIE Expansion Box with PCIE 3.0 x4 (x16 socket) and M.2
 NVMe and 1394A/B controllers. TB Box is a perfect way to plug any source storage controller and capture data from NVMe, SCSI, 1394, FC, USB3.1 storages or via 10Gigabit/s network





Thunderbolt 3.0 Expansion Box with M.2 NVME Controller. The Box has 2 TB 3.0 ports @ 40Gigibit/s ports

Dual Boot Option

For Data Capture:

 Perform Forensic Imaging under Linux for a faster, more efficient and a more secure operation

To Analyze the Data Captured:

- ♦ Reboot the unit to Windows
- Use third-party applications to perform data analysis

Fast & Affordable

Acquire data From:

- Drives: SAS/SATA/M.2 SATA/MSATA/ MicroSATA/
- ♦ SCSI/1394/TB/Mini-PCIE/M.2 PCIE NVME*
- ♦ Multi-Media Cards
- ♦ SSD &USB Storage Devices
- **♦** Network

SuperImager® Plus 8" T3 Forensic Field Unit (Linux) Features:

- Captures data from storage devices with many types of form factors and interfaces(2.5", 3.5", ZIF, M.2, MSATA, Micro SATA, Ultra-slim SATA)
- USB3.0/3.1 ports can be converted to SATA ports with the use of USB3.0 to SATA adapters (4 ports USB KIT)
- Preview data on the "Suspect" drive in a secure environment
- Captures and saves images across many ports and interfaces
- Basic Captures modes 1:1, 1:2, 2:2 SAS/SATA and same with USB
- Supports capture modes: % (adjustable) bit by bit Mirror copy, Linux-DD files, E01, EX01 with up to 16 compression engines
- Targeted Imaging: Select Files and Folders to capture data very quick
- Forensic image from multiple "Suspect" drives to one large "Evidence" drive
- Simultaneously calculates HASH values: MD5/SHA1/SHA2
- The application is flexible in assigning role of Source for Evidence port
- Automatic supports for DCO/HPA areas and Supports bad sector handling
- Encryption AES256 on-the-fly and decrypt at remote location
- Supports save Forensic Images (E01/DD) to a Network (NFS, CIFS, SAMBA), and capture from a Network via iSCSI storage protocols
- Evidence drive can be formatted: ExFAT/FAT/NTFS/EX2-4
- Remote-Capture data from an Un-Open Laptop/PC Via USB or Ethernet ports
- Use the unit as a "write blocker" bridge uploading or preview a storage attached to the unit, when connecting to the network
- Remote Capture from un open laptops/PC
 Via USB or Ethernet ports

UNIT'S HARDWARE FEATURES

4 SAS/SATA (29 pin) Ports

2 USB3.0 Ports for "Suspect"

6 USB3.0 "Evidence" Ports

8" Touchscreen color LCD, 1Gigabit Ethernet and Thunderbolt 3.0 ports





Secure and keyed DC-in connector

System Specification

CPU: i7

Memory: 16GB DDR4

PCle bus: Gen 3

SAS 3.0 controller: 12Gb/s

Internal Storage: 250GB mSATA.

OS: Linux Ubuntu

Power Supply: Universal auto switching 192W UL/CE/PSE approved.

Input voltage: 100-240V/50-60Hz

Unit Net Weight: 5.5 Lbs.

Dimensions: 10.6" x 7.7" x 3.15" (270 x 194 x 80 mm)

Environment: 5°C - 55°C (40°F-130°F).

,

Relative humidity:

20-60% non-condensing

Shipping Weight: 20.00 Lbs.